

Department of Energy

Carlsbad Field Office P. O. Box 3090 Carlsbad, New Mexico 88221

3 0 JAN 2003

Mr. Steve Zappe
Hazardous Waste Permits Program
Hazardous and Radioactive Materials Bureau
New Mexico Environment Department
2905 E. Rodeo Park Drive, Bldg. 1
Santa Fe, NM 87505



Subject: Transmittal of Approved Waste Stream Profile Form for Rocky Flats

Environmental Technology Site, Waste Stream Profile Form Number

RF011.01-Fireblankets and Insulation

Dear Mr. Zappe:

The Department of Energy, Carlsbad Field Office (CBFO) has approved the Rocky Flats Environmental Technology Site (RFETS), Waste Stream Profile Form RF011.01. Enclosed is a copy of the approved form as required by Section B-4(b)(1) of the WIPP Hazardous Waste Facility Permit No. NM4890139088-TSDF.

If you have any questions on this matter, please contact me at (505) 234-7357 or (505) 361-0265.

Sincerely,

Kerry W. Watson

CBFO Assistant Manager

ffice of National TRU Program

Enclosure

cc: w/o enclosure

J. Kieling, NMED

C. Walker, TechLaw

J. Bennett, WTS

P. Roush, WTS

L. Greene, WRES

S. Calvert, CTAC

CBFO M&RC

030128

Jim Hicks January 24, 2003 Page 2

If you have any questions regarding this report, please contact me by phone at (505) 428-2528. Sincerely,

Sandra Y. Martin Manager Compliance & Technical Assistance Program

SYM: sym

cc: Rohde May Keller McNamara Architecture

File: Reading

WASTE STREAM PROFILE FORM

RF011.01; Revision 0 Page 1 of 11 January 21, 2003

Waste Stream Pro	file Number: <u>RF011</u>	.01			
Generator site nam	e: RFETS		Technic	al contact:	Eric D'Amico
Generator site EPA	ID: CO7890010526		Phone i	number:	(303) 966-5362
Date of audit report	approval by NMED: _	March 9, 2000 as a	amended Februa	ry 7, 2001: J	lune 5, 2001; April 8, 2002;
August 20, 2002 an		·			
Title, version numb	er, and date of docume	ints used for WAP of	certification: Rock	ky Flats Envi	ronmental Technology Site
TRU Waste Charac	erization Program Qua	ality Assurance Pro	ject Plan, 95-QA	PjP-0050, R	evision 6, March 2002.
Transuranic (TRU)	Naste Management M	anual, Revision 5,	1-MAN-008-WM-	001, May 20	02. Contact-Handled
Transuranic Waste	Acceptance Criteria for	the Waste Isolatio	n Pilot Plant, Rev	vision 0, May	2002.
Did your facility gen	ərate this waste? 🗹 Ye	es □ No Ifno,pr	ovide the name a	and EPA ID o	of the original generator:
Waste Stream Info	mation ⁽¹⁾		•		
WIPP ID: RF TROS	4, RF TR0438, RF TT	0438			
Summary Category		_Waste Matrix Cod	le Group: Inorgai	nic Nonmeta	Waste .
Waste Stream Nam	e: <u>Fireblanket/TRU, ar</u>	nd Insulation/TRU ⁽³⁾)/16.2.3.1.E.		1
Description from the	WTWBIR: This waste	stream is contamir	nated insulation.		
Defense TRU Wast					
Check one: Ø CH	☐ RH Number of S	WBs <u>N/A</u> Nu	mber of Drums_	302 Numbe	er of Canisters <u>N/A</u>
Batch Data Report	umbers supporting this	s waste stream cha	racterization: Se	e Table 7.	
List applicable EPA	Hazardous Waste Cod	les ⁽²⁾ : <u>None</u>			
Applicable TRUCO	Content Codes: RF	122A, RF 122B, F	RF 122D, RF 122	2E, RF 122F	, RF 122H, RF 122I,
RF 122N, and RF 1					·
Acceptable Knowl	dge Information ⁽¹⁾				
Required Program I					
	Reference List, No. 3				
 Facility missio 	description: Reference	e List, No. 3			
 Description of 	operations that genera	te waste: Refer	ence List, Nos. 1	. 2. 3. 6	
 Waste identific 	ation/categorization sc	hemes: <u>Refere</u>	nce List, Nos. 8,	9	
 Types and qua Correlation of 	ntities of waste genera	ited: <u>Heterence L</u>	ist, Nos. 1, 2, 3,	6	
Nos. 1, 2, 6	vasie sireams general	eu nom me same c	bullaing and proc	ess, as appr	opriate: Reference List.
	tion procedures: Ref	erence List, No. 5			
Required Waste Stre	am information				
 Area(s) and but 	ilding(s) from which the	e waste stream wa:	s generated: <u>R</u>	eference Lis	t, Nos. 1, 2, 6
 Waste stream 	volume and time period	d of generation:	Reference List, I	Nos. 4, 6	
 Waste general Process flow d 	ing process description agrams: <u>Reference l</u>) for each building:	Reference Lis	t, Nos. 1, 2,	<u>6.</u>
Material inputs	or other information id	LISI, IVOS, 1, 2	radionuolida cont	ont and phy	nigot waste forme
Reference List	Nos. 1, 2, 3, 6	entrying chemicatri	adionaciide com	ent and phy	sical waste form:
 Which Defense 	Activity generated the	waste: (Check on	e) Reference Li	st, No. 3	
	activities including defe				Reactors development
☐ Verification	and control technolog	JV VE			e research and development
☐ Defense n	uclear waste and mate	rial by products ma	ınagement	□ Defens	e nuclear materials production
Defense n	uclear waste and mate	rials security and s	afeguards and se	ecurity invest	tigations

Reviewed for Classification/UCNI
By: <u>Vivian S. Sendelweck</u>
Date: 21 Jan 2003 <u>UNU</u>
Approved for Public Release

WASTE STREAM PROFILE FORM

RF011.01, Revision 0 Page 2 of 11 January 21, 2003

Sup	olemental Documentation: See the References section in the Acceptable Knowledge Summary (attached) for
addi	tional backup documentation associated with this waste stream.
•	Process design documents: Note 4
. •	Standard operating procedures: Note 4
•	Safety Analysis Reports: Note 4
.•	Waste packaging logs: Note 4
•	Test plans/research project reports: Note 4
•	Site data bases: Note 4
•	Information from site personnel: Note 4
•	Standard industry documents: Note 4
•	Previous analytical data: Note 4
•	Material safety data sheets: Note 4
•	Sampling and analysis data from comparable/surrogate Waste: Note 4
•	Laboratory notebooks: Note 4
Sam	pling and Analysis Information ⁽¹⁾
[For	the following, when applicable, enter procedure title(s), number(s) and date(s)
⊠ ⊠	Radiography: Reference List, Nos. 14, 15, 19 Visual Examination: Reference List, Nos. 12, 13, 16, 17, 18
Ø	Headspace Gas Analysis
	VOCs: Reference List No. 7, 11
	Flammable: Reference List, No. 7, 11
	Other gases (specify): N/A Homogeneous Solids/Soils/Gravel Sample Analysis (Tables 1, 3, 4, and 5 are not applicable and not included)
_	Total metals: N/A
'	PCBS: N/A
	VOCs: N/A Nonhalogenated VOCs: N/A
	Semi-VOCs: N/A
	Semi-VOCs: N/A Other (specify): N/A
Wast	te Stream Profile Form certification: eby certify that I have reviewed the information in this Waste Stream Profile Form, and it is complete and
accui	rate to the best of my knowledge. I understand that this information will be made available to regulatory
agen	cies and that there are significant penalties for submitting false information, including the possibility of fines and
impri	son/jectifior/knotying violations.
	G. A. O'Leary, Manager TRU Programs //21/03
Signa	Aure of Site Project Manager Printed Name and Title C. L. Ferrera, TWCP Site QAO 1 21 03
1	L. Ferrera, TWCP Site QAO 1/21/03
U.g	ture of Site QA Unicer Printed Name and Title Date '
NOTE	
1) 2)	Use back of sheet or continuation sheets, if required. EPA Hazardous Waste Codes were determined using acceptable knowledge and confirmed using
۷,	headspace gas sampling and analysis (see attached Characterization Information Summary documenting
	this determination).
3)	The "Fireblanket/TRU" and "Insulation/TRU" waste streams specified in the WTWBIR were combined into a
	single waste stream and given the new waste stream name of "TRU Insulation Debris Waste" (see attached Acceptable Knowledge Summary).
4)	See the References section in the Acceptable Knowledge Summary (attached) for additional backup
	documentation associated with this waste stream.

WASTE STREAM PROFILE FORM

RF011.01, Revision 0 Page 3 of 11 January 21, 2003

REFERENCE LIST

- Backlog Waste Reassessment Baseline Book, Waste Form 53, Fire Blanket and Insulation, September 2002.
- Waste Stream and Residue Identification and Characterization (WSRIC) Version 7, and archived versions.
- RFETS TRU Waste Acceptable Knowledge Supplemental Information, RF/RMRS-97-018, Revision 10, August 2002.
- 4. Waste and Environmental Management System (WEMS) database.
- 5. Transuranic Waste Certification, PRO-X05-WC-4018, Revision 4, May 2002.
- Acceptable Knowledge TRU/TRM Waste Stream Summaries, RMRS-WIPP-98-100, Section 6.11, Revision 15, January 2003
- GC/MS Determination of Volatile Organics Waste Characterization, L-4111-X, January 2002.
- 8. Waste Characterization, Generation, and Packaging, 1-PRO-079-WGI-001, Revision 4, May 2002.
- 9. Waste Characterization Program Manual, 1-MAN-036-EWQA-Section 1.6.1, Revision 3, May 2002.
- Interoffice Memorandum from Thomas R. Gatliffe to Eric L. D'Amico, Headspace Gas Analysis Data Evaluation Report For Waste Stream Profile RF011.01 (TRU Insulation Debris Waste) Lot 1, TRG-161-02, December 17, 2002.
- 11. Headspace Gas Sampling and Analysis Using An Automated Manifold, L-4231-F, March 2002.
- 12. Visual Examination for Confirmation of RTR, 4-H80-776-ASRF-007, Revision 5, June 2001.
- 13. TRU/TRM Waste Visual Verification (V2) and Data Review, PRO-1031-WIPP-1112, Revision 1, June 2002.
- Real-Time Radiography Testing of Transuranic and Low-Level Waste, 4-W30-NDT-00664, Revision 5, October 2001.
- Real-Time Radiography Testing of Transuranic and Low-Level Waste in Building 569, 4-I19-NDT-00569, Revision 6, January 2002.
- 16. Visual Examination for Confirmation of RTR, PRO-1471-VE-771, Revision 0, November 2001.
- 17. Residue Repack, Building 371; PRO-544-SALTREPACK-371, Revision 5, January 2002.
- 18. Combustible Residue Repackaging, PRO-823-REPACK-371, Revision 1, March 2001.
- Mobile Real-Time Radiography Testing of Transuranic and Low-Level Waste, PRO-1520-Mobile-RTR, Revision 0, May 2002.

RF011.01, Revision 0 Page 4 of 11 January 21, 2003

Form A Reconciliation with Data Quality Objectives

I certify by signature (below) that sufficient data have been collected to determine the following Program-required waste parameters:

WSPF # RF011.01

	111 011.0	
	Check	
item	Box*	Reconciliation Parameter
1	√	Waste Matrix Code as reported in WEMS.
2	√	Waste Material Parameter Weights for individual containers as reported in WEMS.
3	✓	The waste matrix code identified is consistent with the type of sampling and analysis used to characterize the waste.
4	✓	Container mass and activities of each radionuclide of concern as reported in WEMS.
5	✓	Each waste container of waste contains TRU radioactive waste.
6		Mean concentrations, UCL ₉₀ for the mean concentrations, standard deviations, and the number of samples collected for each VOC in the headspace gas of waste containers in the waste stream/waste stream lot.
7	NA	Mean concentrations, UCL ₉₀ for the mean concentrations, standard deviations, and number of samples collected for VOCs in the waste stream/waste stream lot. Summary Categories S3000 and S4000.
8	NA	Mean concentrations, UCL ₉₀ for the mean concentrations, standard deviations, number of samples collected for SVOCs in the waste stream/waste stream lot. Summary Categories S3000 and S4000.
9	NA	Mean concentrations, UCL ₉₀ for the mean concentrations, standard deviations, and number of samples collected for metals in the waste stream/waste stream lot. Summary Categories S3000 and S4000.
10	NA	Sufficient number of samples was taken to meet statistical sampling requirements.
11	1	Only validated data were used in the above calculations, as documented through the site data review and validation forms and process.
. 12	✓	Waste containers were selected randomly for sampling, as documented in site procedures.
13	✓	The potential flammability of TRU waste headspace gases.
14		Sufficient number of waste containers was visually examined to determine with a reasonable level of certainty that the UCL ₉₀ for the miscertification rate is less than 14 percent.
15	'	Whether the waste stream exhibits a toxicity characteristic (TC) under 40 CFR Part 261, Subpart C.
16	~	All TICs were appropriately identified and reported in accordance with the requirements of the WIPP WAP prior to submittal of a waste stream profile form for a waste stream or waste stream lot.
17	•	The overall completeness, comparability, and representativeness QAOs were met for each of the analytical and testing procedures as specified in the WIPP WAP Sections B3-2 through B3-9 prior to submittal of a waste stream profile form for a waste stream or waste stream lot.
18	· .	The RTLs (i.e., PRQLs) for all analyses were met prior to submittal of a waste stream profile form for a waste stream or waste stream lot.
19	*	Whether the waste stream can be classified as hazardous or non-hazardous at the 90-percent confidence limit.

4	Check (✓) indicates that data or acceptable knowledge are sufficient to determine the waste parameters	and that
	the waste parameters have been reported in the listed document or database. N/A indicates parameters	doos not
	the waste parameters have been reported in the listed document or database. N/A indicates parameter apply to waste stream. NO indicates data are insufficient.	TORS HOL
	apply to produce the indicates data are insufficient.	

Signature of Site Project Manager

G, A, O'Leary Printed Name 1/21/03

RF011.01, Revision 0 Page 5 of 11 January 21, 2003

Data Summary Report—Table 2: Headspace Gas Summary Data

WSPF # RF011.01

Sampling and Analysis Method (check one):

☑ 100% Sampling

□ Reduced Sampling

2A

ANALYTE*	# Samples ^b	Transform Applied	Normality Test (Pass/Fail) ^d	Min. Sample Size ^d	Mean ^d (ppmV)	UCL _{so} d (ppmV)	RTL* (ppmV)	EPA Code
1,1-Dichloroethane	0				0.58	-	NA	
1,2-Dichloroethane	0				0.73		10	
1,1-Dichloroethylene	0				0.70		10	711.4540
cis-1,2-Dichloroethylene	0			•	0.62		NA	
trans-1,2-Dichloroethylene	. 0				0.72		NA	
1,1,2,2-Tetrachloroethane	0				0.65		10	
1,1,1-Trichloroethane	1 .	Log	Fail ^h	0.0081	0.6766	0.7349	10	
1,1,2-Trichloro-1,2,2- Trifluoroethane	0				0.69		10	
1,2,4-Trimethylbenzene	0			*****	0.68		NA	
1,3,5-Trimethylbenzene	0				0.67		NA	<u>.</u>
Acetone	1	None	Fail ^h	NA	7.204	7.621	100	
Benzene	2	Log ·	Fail ^h	NA	0.8323	0.9116	10	,
Bromoform	0		-	!	0.80		NA	
Butanol .	0				5.85		100	······
Carbon disulfide	0				0.65		10	
Carbon tetrachloride	0				0.80		10	
Chlorobenzene	0				0.54		10	
Chloroform	1	Log	Failh	0.0190	0.7741	0.8581	10	
Cyclohexane	0				0.54		NA	
Ethyl benzene	0				0.67		10	
Ethyl ether	0				0.62		10	
Methanol	0				7.74		100	
Methyl ethyl ketone	0				5.85	<u> </u>	100	
Methyl isobutyl ketone	0				6.06		100	
Methylene chloride	1	Log	Fail*	0.0061	0.6666	0.7364	10	
o-Xylene	0	V			0.66	J., 00 1	10	
m,p-Xylene	0				1.29		10	
Tetrachloroethylene	0				0.67		10	
Toluene	25	Log	Fait ^h	0.0383	1.982	2.330	72.029	
Trichloroethylene	0			.,	0.60		10	

NOTES:

A total of 47 samples were collected and analyzed. Analysis was performed for all analytes identified. All but one of the 47 samples were not composited. The one composited sample was composited with two other samples that were collected from containers that were subsequently determined to be low level waste that will not be disposed of at WIPP.

RF011.01, Revision 0 Page 6 of 11 January 21, 2003

Data Summary Report—Table 2: Headspace Gas Summary Data (continued)

NOTES (continued):

Identifies the number of samples in which the associated analyte was detected.

Identifies the type of data transformation used, if applicable, to achieve (or better achieve) a normal

probability distribution of the data.

Statistics calculated based on using 1/2 the MDL for less-than-detectable observations with data transformation as identified (Reference 10). With no detectable concentrations, listed mean reflects average of one-half of reported MDL values for analyte and calculation of standard deviation and UCL values is not meaningful. With fewer than five detectable concentrations, calculated values for UCL. are subject to potentially large relative error.

RTLs for headspace gas analysis results correspond to the analyte PRQL for analytes that are hazardous waste constituents. "NA" means the analyte is not a hazardous waste constituent and so

has no associated regulatory threshold.

No entry indicates no associated EPA Code assigned to the waste stream based on headspace analysis.

Limit used for EPA Hazardous Waste Code evaluation for toluene (Reference No. 3).

Data set (with or without transformation) did not pass the test for normality. The data set that most approximated a normal distribution was used for computation of statistics.

RF011.01, Revision 0 Page 7 of 11 January 21, 2003

Data Summary Report—Table 2: Headspace Gas Summary Data (continued)

WSPF # <u>RF011.01</u>

2B

TENTATIVELY IDENTIFIED COMPOUND	Maximum Observed Estimated Concentrations (ppmv)	# Samples Containing TIC
No TICs identified in the headspace gas samples for the waste stream lot.		

Did the data verify the acceptable knowledge? ☑ Yes ☐ No

Data as reported in Data Summary Report – Table 2 confirm acceptable knowledge in that no toxicity characteristic volatile organic or F-listed solvent EPA codes are applicable.

If not, describe the basis for assigning the EPA Hazardous Waste Codes:

RF011.01, Revision 0 ~ Page 8 of 11 January 21, 2003

Data Summary Report—Table 6: Exclusion of Prohibited Items

WSPF # RF011.01

The absence of prohibited items is documented through acceptable knowledge. Radiography or visual examination is performed on each container in this waste stream to verify the absence of the following prohibited items:

- Liquids
- Non-radionuclide pyrophoric materials
- Waste incompatible with backfill, seal and panel closure materials, container and packaging materials, shipping container materials, or other wastes
- Explosives or compressed gases
- PCBs in concentrations greater than or equal to 50 ppm
- · Waste exhibiting the characteristics of ignitability, corrosivity or reactivity
- Non-mixed hazardous wastes

RF011.01, Revision 0 Page 9 of 11 January 21, 2003

Data Summary Report—Table 7: Correlation of Container Identification to Batch Data Reports

WSPF # RF011.01

Package No.	Radioassay Data Package	Headspace Sample Batch No.	Headspace VOC Data Package	RTR Data Package ^a	VV Data Package ^b
D58801	569IP1-DP-042402A	02W0096	HGAS-DP-00304	6T-2061	
D59077	569IP1-DP-021402	02W0183	HGAS-DP-00366	5T-0288	-
D59663	569IP1-DP-051502	02W0159	HGAS-DP-00275	6T-2061	
D63709	569IP1-DP-021402	02W0150	HGAS-DP-00251	6T-2098	
D65400	569IP1-DP-021802	02W0156	HGAS-DP-00260	5T-0288	
D65557	569IP1-DP-042402A	02W0095	HGAS-DP-00298	6T-2061	
D71208	569IP1-DP-051502A	02W0173	HGAS-DP-00285	6T-2060	
D81279	569IP1-DP-042402A	02W0093	HGAS-DP-00203	6T-2061	
D89828	569IP1-DP-021902	01W0198	HVOC-DP-00524	6T-1607	
D90572	CPN-99-015	02W0182	HGAS-DP-00247	6T-2070	
D91173	371TG1-DP-111501	02W0190	HGAS-DP-00271	6T-2075	†
D91189	371TG1-DP-010301	03W0021	HGAS-DP-00376	6T-2082	
D91793	CIQ-99-021	01W0197	HVOC-DP-00523	6T-2016	
D93443	37.1TG1-DP-010401	02W0208	HGAS-DP-00333	6T-2119	
D94176	371TG1-DP-100801	02W0206	HGAS-DP-00314	6T-2119	
D94177	371TG1-DP-100801	02W0190	HGAS-DP-00271	6T-2072	
D94189	371TG1-DP-032301	02W0207	HGAS-DP-00323	6T-2119	
D94842	371TG1-DP-120701	02W0177	HGAS-DP-00291	6T-2083	
D95469	371TG1-DP-032301	02W0208	HGAS-DP-00333	6T-2119	
D95888	569IP1-DP-052802	02W0193	HGAS-DP-00280	5T-0303	
D96152	371TG1-DP-020101	02W0188	HGAS-DP-00252	6T-2075	1
D96160	371TG1-DP-010302	02W0187	HGAS-DP-00299	6T-2075	<u> </u>
D96420	371TG1-DP-021601	02W0190	HGAS-DP-00271	6T-2072	
D97455	371TG1-DP-010901	02W0194	HGAS-DP-00300	6T-2076	
D97478	371TG1-DP-101701	02W0203	HGAS-DP-00317	6T-2119	
D97480	371TG1-DP-121401	03W0021	HGAS-DP-00376	6T-2081	
D97482	371TG1-DP-010901	02W0195	HGAS-DP-00281	6T-2076	
D97483	371TG1-DP-010901	02W0187	HGAS-DP-00299	6T-2075	
D97489	371TG1-DP-100801	02W0130	HGAS-DP-00286	6T-2072	
D97493	371TG1-DP-101501	02W0203	HGAS-DP-00317	6T-2119	
D97512	371TG1-DP-022101	02W0169	HGAS-DP-00278	6T-2072	
D97525	371TG1-DP-022001	02W0208	HGAS-DP-00333	6T-2119	
D98580	371TG1-DP-040801	02W0133	HGAS-DP-00295	6T-2072	
D98613	371TG1-DP-022101	02W0188	HGAS-DP-00265	6T-2072	
D99360	371TG1-DP-022101	02W0182	HGAS-DP-00251	6T-2098	-
D99384	371TG1-DP-072501	02W0087	HGAS-DP-00364		WC-DP-018
D99524	371TG1-DP-020801	02W0194	HGAS-DP-00300	6T-2077	- AAC-DL-018
DB4741	569IP1-DP-121401A	02W0092	HGAS-DP-00297	5T-0275	

RF011.01, Revision 0 Page 10 of 11 January 21, 2003

Data Summary Report—Table 7: Correlation of Container Identification to Batch Data Reports (continued)

Package No.	Radioassay Data Package	Headspace Sample Batch No.	Headspace VOC Data Package	RTR Data Package ^a	VV Data Package ^b
DB6027	CIQ-01-047	02W0094	HGAS-DP-00214	6T-1801	
DC1139	371TG1-DP-120701	02W0149	HGAS-DP-00228	6T-2082	
DC3630	371TG1-DP-082001	02W0087	HGAS-DP-00338		WC-DP-047
DC3632	371TG1-DP-082101	02W0087	HGAS-DP-00364		WC-DP-047
DC3637	371TG1-DP-082201	. 02W0040	HGAS-DP-00315		WC-DP-048
DC3498	371DC1-DP-090601	02W0082	HGAS-DP-00311		WC-DP-046
DC3790	371DC1-DP-090601	02W0182	HGAS-DP-00247		WC-DP-052
DC3813	371DC1-DP-090501	02W0108	HGAS-DP-00232		WC-DP-055
DC3816	371DC1-DP-090501	02W0177	HGAS-DP-00291		WC-DP-055

NOTES:

- No entry means the package was visually verified (using the visual examination technique) prior to or at the time of packaging/repackaging. For those packages that were examined using radiography, none were selected for visual examination to confirm radiography.
- No entry means that the package was not visually verified (using the visual examination technique) prior to or at the time of packaging/repackaging.

RF011.01, Revision 0 Page 11 of 11 January 21, 2003

Acceptable Knowledge Summary

WSPF # RF011.01

RMRS-WIPP-98-100, Acceptable Knowledge TRU/TRM Waste Stream Summaries, Section 6.11, TRU Insulation Debris Waste (attached).


se print or type. (Form designed for use on e					or other sections.	THE RESERVE AND DESCRIPTION OF THE PERSON NAMED IN	The state of the s	039. Expire	Street Land of the Street
UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA	ID No.	Manifest ocument No.	2. Page of	li	s not aw.	requir	ne shaded ed by Fe	areas [.] deral
3. Generator's Name and Mailing Addres	S					est: Doci		umber	17/6 02/8
4. Generator's Phone ()				李明	March 1			કુમિયા (૧૫) (૧૯૫૧) (૧૯૫૧)	121 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1
5. Transporter 1 Company Name	6.	US EPA ID Nur	nber	the second second		porter's Phone	g or a con-	Designations of the control of the c	
7. Transporter 2 Company Name	8.	US EPA ID Nur	mber			porter's:	3 6 6 6	10 and 10	1.00
	dress 10.	US EPA ID Nur	mber .	G. State	Sec. 2017	s Phone		.416,464.	
9. Designated Facility Name and Site Ad	garess 10.	03 EFA 10 HG	ilbei	13 00 N	ପ୍ରକ୍ରମ ବର୍ଷ କଥା । ପ୍ରକ୍ରିମ ବର୍ଷ		9 - 4 4 3 2 2 4 3 3 3 - 5 - 5 - 6		in a neg ne sitt
				H. Facil	ity's Ph	one		er val frije Grand alste	ografija Varonasija
		-d/D Number	12. Cont	ainers		3.	14. Unit		
11. US DOT Description (Including Proper Sh.	ipping Name, Hazard Class, ai	na ID Number)	No.	Туре		otal antity	Wt/Vo	· · · • • • • • • • • • • • • • • • • •	
a.									
b.							-	200 - 100 -	o nana Sanasan Sanasan
					1 1	1 1			y digay na Aya ng kaba ng ngay
C.									
d.				+				1000 1000	
u.					1 1	1 1			
						a i sele Se eve Silian		1 4 2 frie 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
15. Special Handling Instructions and Ad	ditional Information								
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified	ereby declare that the content: , packed, marked, and labeled	l, and are in all respects i	e fully and acc n proper cond	urately de	escribed	above by	y way		
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certifieconomically practicable and that I have future threat to human health and the en	reby declare that the content, packed, marked, and labeled in national government regular y that I have a program in plasselected the practicable meth vironment; OR, if I am a small	d, and are in all respects i tions. ce to reduce the volume a nod of treatment, storage, I quantity generator, I hav	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de	way egree I ha ch minin	nizes the ore	sentan
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certification and that I have a controlled to the control of the control o	reby declare that the content, packed, marked, and labeled in national government regular y that I have a program in plasselected the practicable meth vironment; OR, if I am a small	d, and are in all respects i tions. ce to reduce the volume a nod of treatment, storage, I quantity generator, I hav	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de to me whi nimize,m	way egree I ha ch minin	nizes the ore	nd selec
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certif economically practicable and that I have future threat to human health and the enthe best waste management method the Printed/Typed Name 17. Transporter 1 Acknowledgement of J	ereby declare that the content, packed, marked, and labeled in national government regular y that I have a program in plasselected the practicable meth vironment; OR, if I am a small at is available to me and that I	d, and are in all respects it itions. ce to reduce the volume a load of treatment, storage, I quantity generator, I hav I can afford.	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de to me whi nimize,m	way egree I ha ch minin	Month I	nd selec
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certif economically practicable and that I have future threat to human health and the enthe best waste management method the Printed/Typed Name 17.Transporter 1 Acknowledgement of 1	areby declare that the content, packed, marked, and labeled in ational government regular in the selected the practicable meth vironment; OR, if I am a small at is available to me and that I Receipt of Materials	i, and are in all respects i tions. ce to reduce the volume a cod of treatment, storage, I quantity generator, I hav I can afford.	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de to me whi nimize,m	way egree I ha ch minin	eneration a	nd selec
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certification that is economically practicable and that I have future threat to human health and the enths best waste management method the Printed/Typed Name 17. Transporter 1 Acknowledgement of I Printed/Typed Name	areby declare that the content, packed, marked, and labeled in ational government regular in the selected the practicable meth vironment; OR, if I am a small at is available to me and that I Receipt of Materials	d, and are in all respects it itions. ce to reduce the volume a load of treatment, storage, I quantity generator, I have a loan afford. Signature	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de to me whi nimize,m	way egree I ha ch minin	Month Month	Day Y
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certification of the economically practicable and that I have future threat to human health and the enthe best waste management method the Printed/Typed Name 17.Transporter 1 Acknowledgement of 19 Printed/Typed Name	areby declare that the content, packed, marked, and labeled in ational government regular in the selected the practicable meth vironment; OR, if I am a small at is available to me and that I Receipt of Materials	d, and are in all respects it itions. ce to reduce the volume a load of treatment, storage, I quantity generator, I hav I can afford.	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de to me whi nimize,m	way egree I ha ch minin	Month I	Day
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certification of the economically practicable and that I have future threat to human health and the enthe best waste management method the Printed/Typed Name 17. Transporter 1 Acknowledgement of I Printed/Typed Name 18. Transporter 2 Acknowledgement of Printed/Typed Name	areby declare that the content, packed, marked, and labeled in ational government regular in the selected the practicable meth vironment; OR, if I am a small at is available to me and that I Receipt of Materials	d, and are in all respects it itions. ce to reduce the volume a load of treatment, storage, I quantity generator, I have a loan afford. Signature	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de to me whi nimize,m	way egree I ha ch minin	Month Month	Day)
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certif economically practicable and that I have future threat to human health and the enthe best waste management method the Printed/Typed Name 17.Transporter 1 Acknowledgement of Printed/Typed Name 18.Transporter 2 Acknowledgement of Printed/Typed Name	areby declare that the content, packed, marked, and labeled in ational government regular in the selected the practicable meth vironment; OR, if I am a small at is available to me and that I Receipt of Materials	d, and are in all respects it itions. ce to reduce the volume a load of treatment, storage, I quantity generator, I have a loan afford. Signature	n proper cond and toxicity of or disposal cur	waste ge	ranspor nerated ailable t ort to mir	t by night to the de to me whi nimize,m	way egree I ha ch minin	Month Month	Day Y
16. GENERATOR'S CERTIFICATION: I he proper shipping name and are classified according to applicable international and If I am a large quantity generator, I certification in the conomically practicable and that I have future threat to human health and the enthe best waste management method the Printed/Typed Name 17.Transporter 1 Acknowledgement of I Printed/Typed Name 18.Transporter 2 Acknowledgement of Printed/Typed Name	areby declare that the content, packed, marked, and labeled anational government regular by that I have a program in place selected the practicable methorizent and that I are available to me and that I are available to me and that I are available to Materials	d, and are in all respects it tions. ce to reduce the volume a lod of treatment, storage, I quantity generator, I have I can afford. Signature Signature	n proper cond and toxicity of or disposal cur re made a good	waste ge rrently av I faith effo	nerated ailable t ort to min	to the de o me whi nimize,m	way egree I ha ch minin y waste g	Month Month	Day Y

EPA Form 8700-22 (Rev. 10-94) Previous editions are obsolete.

LQG/TSD

Manifest exception reporting Check w/TSD for status of waste day 35 File exception report after 45 days

File exception report within 60 days



Rocky Flats Environmental Technology Site

ACCEPTABLE KNOWLEDGE INFORMATION

ACCEPTABLE KNOWLEDGE TRU/TRM WASTE STREAM SUMMARIES

RMRS-WIPP-98-100

Section 6.11
TRU Insulation Debris Waste
Profile No. RF011.01
Revision 16

Reviewed for Classification/UCNI
By: <u>Unclassified Not UCNI</u>
Reference Exemption Number CEX-032-00

Date: September 11, 2000

Approval signatures in Site Document Control history file

RMRS-WIPP-98-100 REVISION 16 PAGE 6.11-2

6.11 TRU Insulation Debris Waste

Profile No. RF011.01

Acceptable Knowledge Waste Stream Summary

Waste Stream Name: TRU Insulation Debris Waste
Generation Buildings: <u>Buildings 371, 374, 440, 707, 771, 776, 777 and 779</u> (5,6,10)
Waste Stream Volume (Retrievably Stored): 153 55-gallon drums (5,6)
Generation Dates (Retrievably Stored): <u>July 1985 – September 2001^(5,6)</u>
Waste Stream Volume (Newly Generated): 130 55-gallon drums (5,6)
Generation Dates (Newly Generated): October 2001 – November 2002 ^(5,6)
Waste Stream Volume (Projected): 19 55-gallon drums ⁽⁷⁾
Generation Dates (Projected): November 2002 – February 2006 ⁽⁷⁾
TRUCON Content Codes: <u>RF 122A, RF 122B, RF 122D, RF 122E, RF 122F, RF 122H, RF 122I, RF 122N, and RF 122T (1)</u>
Process Knowledge Demonstrates Flammable VOCs in Headspace < 500 ppm: Yes (see Section 6.11.6)
6.11.1 <u>Transuranic Waste Baseline Inventory Report Information (2)</u>
WIPP Identification Numbers: RF-TR0334, RF-TR0438, and RF-TT0438
Summary Category Group: <u>S5000</u> Waste Matrix Code Group: <u>Inorganic Nonmetal Waste</u>
Waste Matrix Code: S5129 Waste Stream Name: Fireblanket/TRU, and Insulation/TRU
Description from the TWBIR: This waste stream is contaminated insulation.
MOTE THE RELEASE AND A REPORTED A REPORTED AND A REPORTED AND A REPORTED AND A REPORTED AND A RE

NOTE: The "Fireblanket/TRU" and "Insulation/TRU" waste streams specified in the TWBIR were combined into a single waste stream because Fireblanket (IDC 334) is an insulation material that was generated from similar processes and is similar to the physical and chemical characteristics of other insulation waste (IDC 438).

6.11.2 Waste Stream Description

This waste is generated by similar activities, and is similar in material, physical form and hazardous constituents and, therefore, is considered a single waste stream. TRU insulation debris consists of fireblanket (IDC 334) and insulation (IDC 438). Table 6.11-1 presents the waste matrix codes and waste material parameters for insulation debris.⁽³⁾

Table 6.11-1, Insulation Debris Waste Description

ЮC	IDC Description	Waste Matrix Code	Waste Material Parameters	Weight % (Average)
334	Fireblanket	S5129, Unknown/Other Inorganic Nonmetal Debris	Other Inorganic Materials	100%
438	Insulation	S5129, Unknown/Other	Other Inorganic Materials	81%
		Inorganic Nonmetal Debris	Plastics ¹	14%
			Cellulosics ²	5%

Notes:

- 1. The average weight percent of plastic materials is based on RTR and includes packaging material (e.g., round bottom liner).
- The average weight percent of cellulosic materials is based on RTR and includes packaging material (e.g., fiberboard liner).

IDC 334, Fireblanket: Fireblanket is a high temperature resistant material that is part of the fire safety equipment provided in all process buildings. (4, 8, 11,13)

IDC 438, Insulation: Insulation consists primarily of aluminum oxide and silicon dioxide material used in furnaces, boilers, piping, ceilings and walls, and heating and cooling systems. The waste may also include ceiling tiles, plasterboard, respirator cartridges, banding, paper, and gloves. (4.8.9.10.11,12,13,14,15)

6.11.3 Areas of Operation

TRU insulation debris is generated by the following defense operations. (3)

- Plutonium Production
- Plutonium Recovery
- Laboratory Operations
- Waste Treatment
- Research and Development
- Maintenance
- Waste and Residue Repackaging and Treatment
- Decontamination and Decommissioning Operations

6.11.4 Generation Processes

Insulation debris is generated by nearly every operation on site. Table 6.11-2 provides the title of each generating process along with the corresponding WSRIC building and process number. A description of each of these processes, process flow diagrams, and details of each insulation debris waste stream can be found in the WSRIC Building Books or archived WSRIC files. (8,9,10,11,12,13,14)

Table 6.11-2, Insulation Debris Waste Generation Process

Building	Process	Title	746
		Building 371	
371	3	Repack Operations	
371	4	Analytical Lab	•
371	·6	PROV Vacuum System	
371	15	General Waste (RMMA) and Deactivation	
371	19	Caustic Waste Treatment System	
- 371	20	Organic Contaminated Residue Treatment	
371	21	Nitrate Contaminated Residue Treatment	
371	22	Beryllium Parts Cleaning	•
371	23	Salt Residues Repack Project	
371	27	Dry Residue Repack	
371	30	Non-Regulated Radiological Process Ops (D&D)	
371	31	. Regulated Radiological Process Ops (D&D)	
		Building 374	
374	4	Evaporation	
374	6	General Building Operations	
		Building 440	
440STOR	11	WIPP Characterization	,
· · · · · ·		Building 707	
707	1	Module A	
707	2	Module K/X-Y Retriever	
707	3	Module J	
707	21	Testing - Module H	
707	29	Utilities	•
707	30	Maintenance	
707	35	Module B Through H	
707	36	Deactivation/Decon/Decommissioning (D\3)	
707	41	Dry Residue Repack	
707	45	Waste Repackaging	
		Building 771	
771	26	Plutonium Metallurgy	
771		Maintenance	
7 71		General Building Waste (RMMA)	
771		Set 46, Decontamination & Decommissioning	
. 771 .		Support, Decontamination & Decommissioning	
771		Waste Drum & Crate Repackaging Operation	
771		D&D Fixed Equipment, Glovebox and Tank Remova	•

Building	Process	Title	
		Building 776/777	
776	1	Pyrochemical Processing	
776	2	Size Reduction	•
776	3	Advanced Size Reduction Facility	•
776	9	Maintenance - Pipe Shop	• •
776	14	General Building Waste	
776_777	12	Waste Repackaging	
776_777	6	General Building Waste and Decommissioning	
		Building 779	
779	28	Utilities	
779	37	General Maintenance and Deactivation	
779	40	Deactivation, Decontamination, and Decommissioning	
779	43	Building D&D Activities	

6.11.5 RCRA Characterization

TRU Insulation Debris Waste is not characterized as mixed waste. Table 6.11-3 presents the chemical constituent codes (CCCs) and EPA Hazardous Waste Numbers associated with the BWR Subpopulations and WSRIC Waste Streams assigned to TRU insulation debris waste containers. Supporting characterization information is provided in the BWR Baseline Book, WSRIC Building Book, and WSRIC archived files. (4,8,9,10,11,12,13,14,15)

Table 6.11-3, Insulation Debris Waste RCRA Characterization

ĎС ,	BWR Subpopulation	WSRIC Waste Stream	RCRA CCCs	Non-RCRA CCCs	EPA Hazardous Waste Numbers
		Fire	blanket		••
0334		371 - 27 - 7	00	70	None
0334		707 - 1 - 48	00	70	None
0334	. ,	707 - 36 - 175	. 00	70	None
0334		707 - 41 - 7	00	70	None
0334	•	776_777 - 6 - 185	00	70	None
0334	•	776_777 - 6 - 186	00	0770	None
0334	53A		00	00	None
		- Insi	ulation		- The St. 4 Hot St.
0438		371 - 15 - 92 ,	00	00	None
0438		371 - 15 - 108	00	70	None
0438		371 - 15 - 133	00	70	None
0438		. 371 - 20 - 19	00	70	None
0438		371 - 20 - 20	00	00	None
0438		$371 - 21 - 18A^2$	00 ′	00	None
0438	•	$371 - 21 - 21A^2$	· . 00	.70	None
0438		371 - 27 - 12	00	00	None
0438 ·		371 - 27 - 31	00	70	None
0438,	; '	371 - 30 - 0	N/A	N/A ¹	N/A ¹
0438	•	371 - 31 - 0	N/A ¹	N/A ¹	N/A ¹
0438		374 - 4 - 23	00	00	None

IDC .	BWR	WSRIC Waste Stream			EPA Hazardous Waste Numbers
0438	*Suppopulation,	374 - 6 - 20	00	00	None None
0438		440STOR - 11 - 23	00	00	None
0438		440STOR - 11 - 26	00	70	None
0438		707 - 1 - 40	00	00	None
0438		707 - 1 - 41	00	00	None
0438		707 - 1 - 66	00	70	None
0438		707 - 2 - 29	00	32	None
0438		707 - 3 - 6	00	. 00	None
0438		707 - 3 - 7	00	00	None
0438		707 - 30 - 29	00	70	None
0438		707 - 30 - 7	00	00	None
0438		707 - 35 - 15	00	32	None
0438		707 - 36 - 6	00	00	None
0438		707 - 36 - 15	00	32	None
0438	•	707 - 36 - 50	00	0770	None
0438		707 - 36 - 88	00 '	00	None
0438		707 - 36 - 151	00	0732	None
0438		707 - 36 - 200	00	07	None
0438	•	707 - 36 - 234	00	70	None
0438	•	707 - 36 - 236	00	00 .	- None
0438		707 - 41 - 12	00	00	None
0438		707 - 41 - 35	. 00	70	None
0438		707 - 45 - 6	00	00	None
0438		771 - 35 - 75	00	70	None
0438	•	771 - 35 - 76	-00	70	None
0438		771 - 56 - 0	N/A ¹	N/A ¹	N/A ¹
0438		771 - 62 - 0	N/A ¹	N/A ^I	N/A ¹
0438		771 - 63 - 12	00	. 00	None
0438		771 - 64 - 0	N/A1	N/A ¹	N/A ¹
0438	•	776 - 9 - 8	00	00	None
0438		776_777 - 6 - 27	00	00	None
0438		776_777 - 6 - 117	00	70	None
0438	٠,	776_777 - 6 - 122	00	70	None
0438		776 _ 777 - 6 - 167	0Ó	0770	None
0438		<i>776_777 - 6 - 179</i>	00	07 .	None
0438		776_777 - 6 - 209	00	0770	None
0438		779 - 40 - 14	00	32	None
0438		779 - 43 - 0	N/A ¹	N/A ¹	N/A ¹
0438		D&D - 3 - 23	00	00	None
0438		D&D - 3 - 25	00	70	None
0438		D&D - 3 - 87	00	24	None
0438		D&D - 3 - 102	00	70	None
0438		D&D - 3 - 103	. 00	70	None
0438	•	D&D - 3 - 125	00	70	None
0438	•	D&D - 3 - 126	00	. 70	None
0438	• ~	D&D - 3 - 128	00	70	. None
0438	• •	D&D - 3 - 129	00	70	None
0438		D&D - 3 - 151	. 00	.07	None
0438		D&D - 3 - 154	00 '	0770	· None
0438	53B	ر المرابعة الموادية المرابعة الموادية المرابعة الموادية الموادية المرابعة الموادية المرابعة المرابعة المرابعة	00	- 70-	None
0438	53C	· ,	00	00	None

DС	BWR Subpopulation	WSRIC Waste Stream	RCRA CCCs	Non-RCRA CCCs	EPA Hazardous Waste Numbers
0438	53F		00	70	None
0438	53I		00	70	None
0438	53K		00 .	00	None
0438	53M	•	00	70	None
0438	53P		00	70	None

Note:

- WSRIC waste streams with an output number of "0" refer to a D&D process, which does not include specific outputs. The specific outputs associated with the D&D process are identified by a D&D WSRIC waste stream that is also assigned to the waste.
- 2. This WSRIC waste stream has been revised as indicated by the alpha character suffix. The characterization of the revised waste stream supersedes the previous characterization and, therefore, is also applicable to waste generated prior to the revision. The alpha character will be applied to individual waste packages generated since the revision; however, it will not be assigned to individual waste packages generated before the revision.

Insulation waste is generated by replacement of furnace heating elements, construction, maintenance, and demolition activities within the Protected Area. During these activities insulation material is removed from furnaces, boilers, piping, ceilings and walls, and heating and cooling systems. Fire blankets are replaced or taken out of service when radiologically contaminated or no longer needed in the area. The insulation included in this waste stream was not mixed with a listed hazardous waste and does not exhibit the characteristic of toxicity. Some insulation may be painted; however, based on paint sample data, the paint does not contribute sufficient heavy metal contamination to cause the waste stream to exhibit the characteristic of toxicity for lead or other metals. Insulation waste that did become visibly contaminated with RCRA-hazardous process materials is included in a separate waste stream. Supporting characterization information is provided in the BWR Baseline Book and WSRIC Building Book. (4.8.9,10,11,12,13,14,15)

Visual examination of waste contents at the time of packaging and/or RTR is used to verify that the waste stream does not contain free liquid, explosives, non-radionuclide pyrophoric materials, compressed gasses, or reactive waste. Therefore, this waste stream does not exhibit the characteristics of ignitability (D001), corrosivity (D002), or reactivity (D003).

Beryllium parts were used in the manufacture/assembly of weapons components, and residual beryllium contamination of plutonium parts may have occurred. Insulation debris associated with decontamination and decommissioning of gloveboxes and equipment utilized for these operations may have been contaminated with beryllium; therefore, trace quantities of beryllium may be present in the waste stream. Any beryllium present is as a contaminant of the process and not as unused commercial chemical product and, therefore, is not a P015-listed waste. (4.11,13,15)

Headspace gas sampling and analysis did not detect any hazardous waste VOCs in which the 90% upper confidence limit exceeded the regulatory threshold limit (RTL), which confirms the nonhazardous acceptable knowledge characterization. (16)

6.11.6 Transportation

The payload containers in the waste stream must also comply with the TRUPACT-II Authorized Methods for Payload Control (TRAMPAC) requirements. Flammable volatile organic compounds (VOCs) were not identified in this waste stream based on the descriptions in the *BWR Baseline Book* and *WSRIC Building Books*. Therefore, flammable VOCs in the payload container headspace are not expected to exceed 500 ppm. (4,8,9,10,11,12,13,14)

6.11.7 Radionuclides

Table 6.11-4 presents the radionuclides potentially present in TRU Insulation Debris Waste. (3)

Table 6.11-4, Insulation Debris Waste Radionuclides

IDC		The Paris of the Control of the Cont	Radionuclides ¹	The second second	
334	WG Pu,	Am-241, DU, EU, Np-237			
438	WG Pu,	Am-241, DU, EU, Np-237		· · · · · · · · · · · · · · · · · · ·	
Key:	WG Pu Am-241 DU	weapons-grade plutonium americium-241 depleted uranium	EU Np-237	enriched uranium neptunium-237	

Notes:

 Am-241 is indicated only for IDCs (unless noted otherwise) in which americium operations were performed (e.g., molten salt extraction). Am-241 is not indicated if it is expected to be present only due to plutonium-241 decay.

RMRS-WIPP-98-100 REVISION 16 PAGE 6.11-9

6.11.8 References

- 1. DOE 1999. TRUPACT-II Content Codes (TRUCON), Revision 12. DOE/WIPP 89-004.
- DOE 1995. Transuranic Waste Baseline Inventory Report, Revision 2. DOE/CAO-95-1121.
- 3. RFETS 2002 RFETS TRU Waste Acceptable Knowledge Supplemental Information. RF/RMRS-97-018, Revision 10.
- 4. RFETS 2002. Backlog Waste Reassessment Baseline Book, Waste Form 53 Fire Blanket and Insulation.
- 5. Waste and Environmental Management System (WEMS) database.
- 6. WASTREN 2003. Interoffice Memorandum from Vivian S. Sendelweck to Waste Records Center. VSS-001-2003. January 7.
- 7. WASTREN 2002. Interoffice Memorandum from Vivian S. Sendelweck to Jeff Harrison. VSS-034-2002. December 26.
- 8. RFETS 2002. Waste Stream and Residue Identification and Characterization, Building 371, Version 7.0.
- 9. RFETS 2002. Waste Stream and Residue Identification and Characterization, Building 374, Version 7.0.
- 10. RFETS 2002. Waste Stream and Residue Identification and Characterization, Building 440 Storage, Version 7.0.
- 11. RFETS 2002. Waste Stream and Residue Identification and Characterization, Building 707, Version 7.0.
- 12. RFETS 2002. Waste Stream and Residue Identification and Characterization, Building 771, Version 7.0.
- 13. RFETS 2002. Waste Stream and Residue Identification and Characterization, Building 776_777, Version 7.0.
- 14. RFETS 2002. Waste Stream and Residue Identification and Characterization, Building 779, Version 7.0.
- 15. RFETS 2002. Waste Stream and Residue Identification and Characterization, D&D, Version 7.0
- 16. Tenera 2002. RFETS Interoffice Memorandum from Thomas R. Gatliffe to Eric L. D'Amico, Headspace Gas Analysis Data Evaluation Report for Waste Stream Profile RF011.01 (TRU Insulation Debris Waste) Lot 1, TRG-161-02. December 17.



RFETS INTEROFFICE CORRESPONDENCE

DATE:

December 17, 2002

TO:

Eric L. D'Amico, TRU Waste Programs, Bldg. 460, x5362

FROM:

M

Thomas R. Gatliffe, TRU Waste Programs, Statistical Applications, Bldg. 460,

x6548

SUBJECT:

HEADSPACE GAS ANALYSIS DATA EVALUATION REPORT FOR WASTE

STREAM PROFILE RF011.01 (TRU INSULATION DEBRIS WASTE) LOT 1 -

TRG-161-02

This letter forwards the Statistical Headspace Gas Analysis Data Evaluation Report for lot 1 of waste stream profile (WSP) RF011.01 (TRU Insulation Debris) as requested by your memorandum of December 16, 2002, Serial ELD-093-02.

One of the reported 30 volatile organic compounds (VOCs) exhibited sufficient detectable concentrations that allowed valid calculation of an Upper 90% Confidence Limit (UCL₉₀) value for the mean concentration and determination of required minimum sample sizes as specified in Table IV.D.1 of the Waste Isolation Pilot Plant, Hazardous Waste Permit, Waste Analysis Plan (WIPP-WAP). Five other VOCs were detected in only 1 or 2 of the 47 samples. Detection of so few concentration values does not support reliably valid calculation of required sample size or UCL₉₀. All of the remaining 24 VOCs exhibited no samples with any reliably detectable concentrations and could not support calculation of either required sample sizes or UCL₉₀ values.

Based upon the results of the analyses, sufficient samples were taken to support adequate characterization of headspace gas for the lot and, because all calculable UCL $_{90}$ values were less than the corresponding Program Required Quantitation Limit values, statistical sampling of headspace gas has been demonstrated to be effective for WSP RF011.01. The detailed analyses supporting these findings are contained in the attached formal report.

Please feel free to contact me if further information is needed.

Attachments: One (1), as stated

Statistical Headspace Gas Analysis Data Evaluation Report For Waste Stream Profile RF011.01 Lot 1 TRU Insulation Waste at Rocky Flats Environmental Technology Site

Prepared by: Thomas R. Gatliffe, Environmental Statistician
Tenera Rocky Flats, LLC

For: Kaiser-Hill TRU Waste Programs
December 17, 2002

